

 Grant Dufficy/R3/USEPA/US

11/26/2008 10:03 AM

 11/26/08  
To Paul Gotthold/R3/USEPA/US@EPA

cc Harriet Morrell/R3/USEPA/US@EPA

bcc

Subject OSRAM Sylvania Inc. PAD003046794.... Memo to the  
file..Construction Complete

**Osram Sylvania Inc.**  
**1 Jackson Street**  
**Wellsboro, Pennsylvania 16901**  
**EPA ID#: PAD003046794**

- \* 1985 - Osram removed Approx. 85 cubic yards of chromium contaminated soils
- \* 1993 - Osram entered into an Order with EPA to monitor ground-water on-site, twice per year for three years (facility had already been monitoring groundwater for 10 years prior to the Order)
- \* March 5, 2003 - Public Notice was issued
- \* 2004 - Osram records deed restriction on property.
- \* 2006 - Three years of semi-annual groundwater monitoring is complete per the Order.

Groundwater results for hexavalent chromium and arsenic are below the PADEP non-use MSC numbers and below EPA RBC tap water thresholds. Monitoring results indicate the plume within the property lines is remaining stable. Historical groundwater monitoring at the facility over the last thirteen years suggests that hexavalent chromium in the groundwater is attenuating through natural reduction processes, and does not pose a threat to either human health or the environment. It appears that all obligations of the 1993 order have been met.

Grant J. Dufficy  
U.S. Environmental Protection Agency - Region III  
Office of Pennsylvania Remediation  
1650 Arch Street  
Philadelphia, PA 19103  
phone: 215-814-3455  
fax: 215-814-3113